


# 550-0120 High Output Power Actuator



TriMark's High Output Power Actuator offers a high performance actuator in a compact size

#### **DESIGNED FOR:**

- TriMark handles and latches equipped to accept a power actuator that requires a higher output function

#### **FEATURES/BENEFITS:**

- High output force (9.9 lbs/4.5 kg) for reliable locking, unlocking or unlatching function
- High impact sealed case design
- Travel distance—.75 inches (19mm)
- Features a drive end that accepts a detachable tip for ease of application (several versions available)
- Integrated 2 wire connector for ease of installation

#### **Global Locations:**

**TriMark Corporation**  
500 Bailey Avenue  
P.O. Box 350  
New Hampton, Iowa 50659  
United States  
Tel: 641-394-3188  
Fax: 641-394-2392  
1-800-447-0343  
www.trimarkcorp.com

**TriMark Europe**  
Cedar Court  
Walker road  
Bardon Hill  
Coalville LE67 1TU  
United Kingdom  
Tel: +44(0)1530 512460  
Fax: +44(0)1530 512461  
www.trimarkeu.com

**TriMark (Xuzhou)**  
Building A5 Jingwu Road  
Xuzhou Economic  
Development Zone  
Xuzhou, Jiangsu  
221004 PR China  
Tel: +86 516 8773 0018  
Fax: +86 516 8773 0058  
www.trimarkcn.com



TriMark. Interactive. Product. Selector



**AVAILABLE:**

- In push/pull, push only or pull only configurations
- Possible customization available to include special harness and kitting options. Please contact TriMark for more information.

**INSTALLATION:**

- TriMark power actuators are easy to install either by integrating or mounting directly into available TriMark latches or handles
- 12 volt supply (9-15 VDC)
- Each actuator can draw up to 6.1A of current - proper sized fusing of circuitry is required

**CAUTION:** This product does not have a clutch mechanism, so consideration needs to be made in applications that require FMVSS 206 (ECE R11) locking provisions for manual inside release or exterior key release.

Individual part dimensions are for reference only. Refer to individual part drawings for complete dimensions, specifications, and installation procedures. Engineering assistance and application drawings are available.

For more information visit  
[www.trimarkcorp.com](http://www.trimarkcorp.com)

