




REVISION	ECO	BY	CHECKED	DESCRIPTION
0	RLSE	DJZ 10/17/01	GCL 10/17/01	RELEASED



- NOTES:
- ASSEMBLY COMPLIES WITH STRENGTH REQUIREMENTS OF SAE STANDARD J839.
 - TIGHTEN MOUNTING FASTENERS TO THE FASTENER MANUFACTURER'S RECOMMENDED TORQUE VALUE; HOWEVER, DO NOT EXCEED 120 IN-LBS.
 - WHEN MOUNTED TO FRONT PLATE, MOUNTING HOLE SIZE NOT TO EXCEED $\varnothing .312$ [7.92].
 - USE WITH TRIMARK'S $\varnothing .675$ STRIKER BOLT
 - DIMENSIONS IN [] ARE IN MILLIMETERS FOR REFERENCE ONLY.
 - RETURN POSITION (SHOWN).
 - CONTACT POSITION.
 - RELEASE POINT.
 - MAXIMUM TRAVEL.
 - ASSEMBLY IDENTIFIED WITH PART NUMBER AND DATE CODE APPROXIMATELY AS SHOWN, OR IN OTHER APPROVED LOCATIONS AS OUTLINED IN ES-121. ORIENTATION OF THE RIVET CONTAINING PART NUMBER AND DATE CODE NOT IMPORTANT.
 - FINISH IS FOR REFERENCE ONLY.



PRODUCT SUPPORT DRAWING
Individual part dimensions are for reference only. Refer to individual part drawings for complete dimensions and specifications.

SPECIFICATION	DESCRIPTION	ITEM	PART NUMBER	DESCRIPTION	QUANTITY
DRAWN BY D.J.Z 8/20/01	MATERIAL				
CHECKED BY B.L.H. 8/20/01	HEAT TREAT				
DESIGN ENG. D.J.Z 10/17/01	FINISH PLATE, ZINC/COAT, CHROMATE, YELLOW PER ES-104				
MFG. ENG.	PROJECT 01044		CUSTOMER		CUSTOMER PART NUMBER
QUALITY ENG.	SIZE C	PART WEIGHT	SURFACE AREA	PRODUCT CODE E08 (050-0107)	
TOLERANCES UNLESS OTHERWISE SPECIFIED ASME Y14.5M-1994 DIMENSIONS ANGLES X.X ±.1 X° ±3° X.XX ±.03 X.X° ±1.0° X.XXX ±.010 X.XX° ±.50°		REPORT ERRORS TO ENGINEERING DEPARTMENT		DO NOT SCALE DRAWING	
			SCALE FULL	REVISION 0	PART NUMBER PRI8573

TriMark
500 Bailey Avenue
New Hampton, Iowa 50659 U.S.A.
Tel: 641-394-3188
Fax: 641-394-2392

This drawing and the information contained herein is the property of TriMark Corporation and shall not be used for any purpose without our written consent.

PART NAME 050-0107, LH, 2POSN, M6, COAXPVT, FGR RLSE, YCZ